INFORMATION DISCLOSURE STATEMENT BY APPLICANT

Application No. 10/633,367

Filing Date August 1, 2003

First Named Inventor Paul V. Goode

Art Unit 1743

Examiner Wallenhorst, Maureen

Attorney Docket No. DEXCOM.016A

Williple sheets used when necessary)
SHEET 1 OF 7

PINI & F BOO			U.S. PATENT	DOCUMENTS	
Initials	Cite No.	Document Number Number - Kind Code (if known) Example: 1,234,567 B1	Publication Date MM-DD-YYYY	Name of Patentee or Applicant	Pages, Columns, Lines Where Relevant Passages or Relevant Figures Appear
	1.	2005-0027180 A1	02/03/2005	Goode, et al.	
	2.	2005-0027463 A1	02/03/2005	Goode, et al.	
	3.	2005-0027181 A1	02/03/2005	Goode, et al.	
•	4.	US3964974	06-22-1976	Banauch, et al.	
	5.	US4024312	05-17-1977	Korpman, Ralf	
	6.	US4215703	08-05-1980	Willson, James K. V.	
	7.	US4259540	03-31-1981	Sabia, Raffaele A.	
	8.	US4663824	05-12-1987	Kenmochi, Kazuei	
	9.	US4871440	10-03-1989	Nagata, et al.	
	10.	US5067491	11-26-1991	Taylor, et al.	
	11.	US5285513	02-08-1994	Kaufman, et al.	
	12.	US5304468	04-19-1994	Phillips, et al.	
	13.	US5310469	05-10-1994	Cunningham, et al.	
	14.	US5330521	07-19-1994	Cohen, Donald M.	
	15.	US5342409	08-30-1994	Mullett, Keith R.	
	16.	US5343869	09-06-1994	Pross, et al.	
	17.	US5390671	02-21-1995	Lord, et al.	
	18.	US5411647	05-02-1995	Johnson, et al.	
	19.	US5484404	01-16-1996	Schulman, et al.	
	20.	US5491474	02-13-1996	Suni, et al.	
	21.	US5568806	10-29-1996	Cheney, et al.	
	22.	US5586553	12-24-1996	Halili, et al.	

Examiner Signature

Date Considered

^{*}Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

	Application No.	10/633,367
INFORMATION DISCLOSURE	Filing Date	August 1, 2003
STATEMENT BY APPLICANT	First Named Inventor	Paul V. Goode
STATEMENT BY APPLICANT	Art Unit	1743
(Multiple sheets used when necessary)	Examiner	Wallenhorst, Maureen
SHEET 2 OF 7	Attorney Docket No.	DEXCOM.016A

2	3. US5590651	01-07-1997	Shaffer, et al.	
2		04-29-1997	Turner, et al.	
2	5. US5660163	08-26-1997	Schulman, et al.	
2	6. US5779665	07-14-1998	Mastrototaro, et al.	
2	7. US5851197	12-22-1998	Marano, et al.	
2	8. US5917346	06-29-1999	Gord, John C.	
2	9. US5931814	08-03-1999	Alex, et al.	
3	0. US5957903	09-28-1999	Mirzaee, et al.	
3	1. US6001471	12-14-1999	Bries, et al.	
3	2. US6093172	07-25-2000	Funderburk, et al.	
3	3. US6103033	08-15-2000	Say, et al.	
3	4. US6115634	09-05-2000	Donders, et al.	
3	5. US6121009	09-19-2000	Heller, et al.	
3	6. US6134461	10-17-2000	Say, et al.	
3	7. US6167614	01-02-2001	Tuttle, et al.	
3	8. US6189536	02-20-2001	Martinez, et al.	
3	9. US6206856	03-27-2001	Mahurkar, Sakharam D.	
4	0. US6208894	03-27-2001	Schulman, et al.	
4	1. US6212416	04-03-2001	Ward, et al.	
4	US6214185	04-10-2001	Offenbacher, et al.	
4	US6259937	07-10-2001	Schulman, et al.	
4	4. US6293925	09-25-2001	Safabash, et al.	
4	5. US6368274	04-09-2002	Van Antwerp et al.	
4	6. US6405066	06-11-2002	Essenpreis, et al.	

Exami	ner Signature	
-------	---------------	--

Date Considered

^{*}Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

	Application No.	10/633,367
INFORMATION DISCLOSURE	Filing Date	August 1, 2003
STATEMENT BY APPLICANT	First Named Inventor	Paul V. Goode
STATEMENT OF APPLICANT	Art Unit	1743
(Multiple sheets used when necessary)	Examiner	Wallenhorst, Maureen
SHEET 3 OF 7	Attorney Docket No.	DEXCOM.016A

47.	US6406066	06-18-2002	Uegane, Masayuki	
48.	US6413393	07-02-2002	Van Antwerp et al.	
49.	US6424847	07-23-2002	Mastrototaro, et al.	
50.	US6481440	11-19-2002	Gielen, et al.	
51.	US6498043	12-24-2002	Schulman, et al.	
52.	US6560471	05-06-2003	Heller, et al.	
53.	US6569521	05-27-2003	Sheridan, et al.	
54.	US6585763	07-01-2003	Keilman, et al.	
55.	US6607509	08-19-2003	Bobroff, et al.	
56.	US6613379	09-02-2003	Ward, et al.	
57.	US6642015	11-04-2003	Vachon, et al.	
58.	US6645181	11-11-2003	Lavi, et al.	
59.	US6648821	11-18-2003	Lebel, et al.	
60.	US6654625	11-25-2003	Say, et al.	
61.	US6683535	01-27-2004	Utke, Gene H.	
62.	US6694191	02-17-2004	Starkweather, et al.	
63.	. US6695860	02-24-2004	Ward, et al.	
64.	US6699218	03-02-2004	Flaherty, et al.	
65.	US6721587	04-13-2004	Gough, David A.	
66.	US6731976	05-04-2004	Penn, et al.	
67.	US6740075	05-25-2004	Lebel, et al.	
68.	US6810290	10-26-2004	Lebel, et al.	
69.	US2003188427A1	10-09-2003	Say, et al.	
70.	US2003199744A1	10-23-2003	Buse, et al.	

Examiner Signature	Exa	miner	Signature	
--------------------	-----	-------	-----------	--

Date Considered

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

	Application No.	10/633,367
INFORMATION DISCLOSURE.	Filing Date	August 1, 2003
STATEMENT BY APPLICANT	First Named Inventor	Paul V. Goode
STATEMENT BY APPLICANT	Art Unit	1743
(Multiple sheets used when necessary)	Examiner	Wallenhorst, Maureen
SHEET 4 OF 7	Attorney Docket No.	DEXCOM.016A

				
71.	US2004010207A1	01-15-2004	Flaherty, et al.	
72.	US2004015134A1	01-22-2004	Lavi, et al.	
73.	US2004030285A1	02-12-2004	Lavi, et al.	
74.	US2004030294A1	02-12-2004	Mahurkar, Sakharam D.	
75.	US2004039406A1	02-26-2004	Jessen, Jonh W.	
76.	US2004068230A1	04-08-2004	Estes, et al.	
77.	US2004186365A1	09-23-2004	Jin, et al.	
78.	US2004219664A1	11-04-2004	Heller, et al.	
79.	US6212424	04-03-2001	Robinson, Mark Ries	
80.	US6544212	04-08-2003	Galley, et al.	
81.	US6574490	06-03-2003	Abbink, et al.	
82.	US6575905	06-10-2003	Knobbe, et al.	

		j	FOREIGN PATE	NT DOCUMENTS	,	
Examiner Initials	Cite No.	Foreign Patent Document Country Code-Number-Kind Code Example: JP 1234567 A1	Publication Date MM-DD-YYYY	Name of Patentee or Applicant	Pages, Columns, Lines Where Relevant Passages or Relevant Figures Appear	T ¹
	83.	WO 95/07109	03-16-1995	PCT		
-	84.	EP776628A2	06-04-1997	EPO		
	85.	WO03101862A1	12/11/2003	PCT		
	86.	EP995805A1	04-26-2000	Beuret, Pierre		
	87.	EP1077634B1	02-28-2001	Cygnus, Inc.		
	88.	EP1078258B1	02-28-2001	Cygnus, Inc.		
	89.	WO02082989A1	10-24-2002	Abbott Laboratories		
		NON	PATENT LITERA	ATURE DOCUMENTS		
Examiner Initials Cite No. Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the iter (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), published.				em sher, T		
	90.	Chia, C. W.; Saudek, C. D. Glucose 33, 175-95, xi	sensors: toward cl	osed loop insulin delivery. E	indocrinol Metab Clin North Am 200	04,

E	Examiner Signature	Date Considered

^{*}Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

T¹ - Place a check mark in this area when an English language Translation is attached.

Application No. 10/633,367 INFORMATION DISCLOSURE Filing Date August 1, 2003 First Named Inventor Paul V. Goode STATEMENT BY APPLICANT **Art Unit** 1743 Wallenhorst, Maureen (Multiple sheets used when necessary) Examiner SHEET 5 OF 7 Attorney Docket No. DEXCOM.016A

	FOREIGN PATENT DOCUMENTS						
Examiner Initials	T Country Code-Number-Kind Code Date Twhere Relevant Passages of						
	91. Gross, Todd, "Letters to the Editor Re: Diabetes Technology & Therapeutics, 2000;2:49-56," Vol. 3, No. 1, p.130-131, 2001					, 2001	
	Huang, C., O'Grady, W.E.; Yeager, E. Electrochemical Generation of Oxygen. 1: The Effects of Anions and Cations on Hydrogen Chemisorption and Aniodic Oxide Film Formation on Platinum Electrode. 2: The Effects of Anions and Cations on Oxygen Generation on Platinum Electrode, pp 1-116, Aug. 1975					ons on	
	93. Malin, et al. Noninvasive Prediction of Glucose by Near-Infrared Diffuse Reflectance Spectroscopy. Clinical Chemistry, 45:9, 1651-1658, 1999					у,	
	94. Mastrototaro, et al. 2003. Reproducibility of the continuous glucose monitoring system matches previous reports and the intended use of the product. <i>Diabetes Care</i> , 26:256; author reply 257.					the	
	95. Reach, Gerard, "Letters to the Editor Re: Diabetes Technology & Therapeutics, 2000;2:49-56," Vol. 3, No. 1, p.129-130, 2001					30,	
	96. Schmidtke, D. W.; Heller, A. Accuracy of the one-point in vivo calibration of "wired" glucose oxidase electrodes implanted in jugular veins of rats in periods of rapid rise and decline of the glucose concentration. Anal Chem 1998, 70, 2149-2155					nted in 5	
	97. Tamura, T., et al., "Preliminary study of continuous glucose monitoring with a microdialysis technique and a null method – a numerical analysis," Frontiers Med. Biol. Engng., 10:2:147-156 (2000).					od – a	
	 Updike et al. 1997. "Principles of long-term fully implanted sensors with emphasis on radiotelemtric monitoring of blood glucose from inside a subcutaneous foreign body capsule (FBC). In Fraser, D. M. (Ed.). Biosensors in the Body: Continuous in vivo Monitoring. Chap. 4, pp 117-137, Hoboken, NJ: John Wiley. 						
	99. Valdes, et al. 2000. In vitro and in vivo degradation of glucose oxidase enzyme used for an implantable glucose biosensor. Diabetes Technol. Ther., 2:367-376.				nsor.		
	100. Wilkins, et al. 1995. Integrated implantable device for long-term glucose monitoring. Biosens. Bioelectron., 10:485-494.				4.		
	101. U.S. Patent Application No. 10/632,537 filed 08/01/03, Docket No. DEXCOM.024A.						
	102. Abel, P. U.; von Woedtke, T. Biosensors for in vivo glucose measurement: can we cross the experimental stage. Biosens Bioelectron 2002, 17, 1059-1070				sens		
	103. Atanasov, P.; Yang, S.; Salehi, C.; Ghindilis, A. L.; Wilkins, E.; Schade, D. Implantation of a refillable glucose monitoring-telemetry device. Biosens Bioelectron 1997, 12, 669-680				ring-		
	104. Bowman, L.; Meindl, J. D. The packaging of implantable integrated sensors. IEEE Trans Biomed Eng 1986, 33, 248-255					255	
	105.	Cai, Q.; Zeng, K.; Ruan, C.; Desai, sensitive polymer. Anal Chem 2004		A. A wireless, remote query glud	cose biosensor based on a pH-		
	106.	Cox, D. J.; Clarke, W. L.; Gonder-Fr Pennebaker, J. Accuracy of perceiv	rederick, L.; Pohl, ing blood glucose	S.; Hoover, C.; Snyder, A.; Zimi in IDDM. Diabetes Care 1985,	belman, L.; Carter, W. R.; Bobbi 8, 529-536	tt, S.;	
	107.	El-Sa'ad, L.; Yates, D. Moisture Abs 1990, 25, 3577-3582	sorption by Epoxy	Resins: the Reverse Thermal E	ffect. Journal of Materials Scien	ce	
	108.	Feldman, B.; Brazg, R.; Schwartz, S results from a 3-day trial in patients				<i>'</i>	
	109.	Garg, S.; Schwartz, S.; Edelman, S. Sensor in Adults wtih Type I Diabete	. Improved Glucos es. Diabetes Care	e Excursions Using an Implanta 2004, 27, 734-738	able Real-Time Continuous Gluc	ose	

LAMINING SIGNALUIC	Exa	miner	Signature
--------------------	-----	-------	-----------

Date Considered

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

	Application No.	10/633,367
INFORMATION DISCLOSURE	Filing Date	August 1, 2003
STATEMENT BY APPLICANT	First Named Inventor	Paul V. Goode
STATEMENT BY APPLICANT	Art Unit	1743
(Multiple sheets used when necessary)	Examiner	Wallenhorst, Maureen
SHEET 6 OF 7	Attorney Docket No.	DEXCOM.016A

FOREIGN PATENT DOCUMENTS							
Examiner Initials	Cite No.	Foreign Patent Document Country Code-Number-Kind Code Example: JP 1234567 A1	Publication Date MM-DD-YYYY	Name of Patentee or Applicant	Pages, Columns, Lines Where Relevant Passages or Relevant Figures Appear	T ¹	
	110.	10. Gilligan, B. C.; Shults, M.; Rhodes, R. K.; Jacobs, P. G.; Brauker, J. H.; Pintar, T. J.; Updike, S. J. Feasibility of continuous long-term glucose monitoring from a subcutaneous glucose sensor in humans. Diabetes Technol Ther 2004, 6, 378-386					
	111.	Heller, A. Implanted electrochemical 153-175	glucose sensors	for the management of diabete	s. Annu Rev Biomed Eng 1999,	1,	
	112.	Heller, A. Plugging metal connectors	into enzymes. N	lat Biotechnol 2003, 21, 631-2			
	113.	Hrapovic, S.; Luong, J. H. Picoamper characterization. Anal Chem 2003, 7	rometric detection 5, 3308-3315	n of glucose at ultrasmail platinu	um-based biosensors: preparatio	n and	
	114.	Hunter, I., Jones, L., Kanigan, T., Bre Delivery System. MIT Home Automa	enan, C., Sanbol, ition and Healthc	L. Sosnowski, L. Minimally Inva	asive Glucose Sensor and Insulin	1	
	115.	Jeutter, D. C. A transcutaneous impla Biomed Eng 1982, 29, 314-321	anted battery red	harging and biotelemeter power	switching system. IEEE Trans		
	116.	Kang, S. K.; Jeong, R. A.; Park, S.; C F thin film modified glucose sensor.			ort-term in vivo characteristics of	a Kel-	
	117.	Kraver, K.; Guthaus, M. R.; Strong, T microinstrument. Sensors and Actua	.; Bird, P.; Cha, (tors A: Physical	G.; Hoeld, W.; Brown, R. A mixe 2001, 91, 266-277	ed-signal sensor interface		
	March, W. F. Dealing with the delay. Diabetes Technol Ther 2002, 4, 49-50						
	119.	Mastrototaro, J. J. The MiniMed cont	inuous glucose n	nonitoring system. Diabetes Te	chnol Ther 2000, 2 Suppl 1, S13	-8	
	120.	McCartney, L. J.; Pickup, J. C.; Rolin based on allophycocyanin-labeled co	ski, O. J.; Birch, ncanavalin A. A	D. J. Near-infrared fluorescence nal Biochem 2001, 292, 216-22	e lifetime assay for serum glucos 1	е	
	121.	McGrath, M. J.; Iwuoha, E. I.; Diamoi interference compensation during glu	nd, D.; Smyth, M	. R. The use of differential meas	surements with a glucose biosen Biosens Bioelectron 1995, 10, 93	sor for 37-943	
	122.	Memoli, A.; Annesini, M. C.; Mascini, glucoseoxidase-based electrodes. J			een different immobilised		
	Moatti-Sirat, D.; Capron, F.; Poitout, V.; Reach, G.; Bindra, D. S.; Zhang, Y.; Wilson, G. S.; Thevenot, D. R. Towards continuous glucose monitoring: in vivo evaluation of a miniaturized glucose sensor implanted for several days in rat subcutaneous tissue. Diabetologia 1992, 35, 224-230						
	124.	Ohara, T. J.; Rajagopalan, R.; Heller the presence of interfering substance			determination of glucose or lac	tate in	
	125.	Okuda, J.; Miwa, I. Mutarotase effect Biochem 1971, 43, 312-315	on micro determ	inations of D-glucose and its ar	nomers with -D-glucose oxidase	Anal	
	126.	Patel, H.; Li, X.; Karan, H. I. Amperor systems-a preliminary report. Bioser			aining polymeric electron transfe	r	
	127.	Pichert, J. W.; Campbell, K.; Cox, D. for the coming age of continuous glue				sues	
	128.	Quinn, C. A., Connor, R. E., Heller, A biosensors. Biomaterials 1997, 18, 1		glucose-permeable hydrogel fo	r in situ coating of implantable		

Examiner Signature	Date Considered
*Examiner: Initial if reference considered, whether or not citation is in conform in conformance and not considered. Include copy of this form with next commit	

Application No. 10/633,367 INFORMATION DISCLOSURE Filing Date August 1, 2003 First Named Inventor Paul V. Goode STATEMENT BY APPLICANT Art Unit 1743 Examiner Wallenhorst, Maureen (Multiple sheets used when necessary) Attorney Docket No. SHEET 7 OF 7 DEXCOM.016A

			FOREIGN PATE	ENT DOCUMENTS		
Examiner Initials	Cite No.	Foreign Patent Document Country Code-Number-Kind Code Example: JP 1234567 A1	Publication Date MM-DD-YYYY	Name of Patentee or Applicant	Pages, Columns, Lines Where Relevant Passages or Relevant Figures Appear	T ¹
	129. Reach, G.; Abel, P.; Fischer, U. A Method for Evaluating in vivo the Functional Characteristics of Glucose Sensors. Biosensors 1986, 2, 211-220					
	130.	Service, R. F. Can sensors make a	home in the body	? Science 2002, 297, 962-3		
<u> </u>	131.	Shichiri, M.; Kawamori, R.; Yamasa glucose sensor. Lancet 1982, 2, 11		Abe, H. Wearable artificial endo	crine pancrease with needle-type	
•	132.	Shichiri, M.; Kawamori, R.; Yamasa Artificial Endocrine Pancreas. Book	ki, Y.; Hakui, N.; A Implantable Sen	Asakawa, N.; Abe, H. Needle-ty sors 1985, 197-210	pe Glucose Sensor for Wearable	
· · · · · ·	133.	Sriyudthsak, M.; Cholapranee, T.; S glucose analyzing system and medi	awadsaringkarn, l cal applications.	M.; Yupongchaey, N.; Jaiwang, Biosens Bioelectron 1996, 11, 7	P. Enzyme-epoxy membrane base 735-742	d
134. Stemberg, R.; Barrau, M. B.; Gangiotti, L.; Thevenot, D. R.; Bindra, D. S.; Wilson, G. S.; Velho, G.; Froguel, P.; Reach, Study and development of multilayer needle-type enzyme-based glucose microsensors. Biosensors 1989, 4, 27-40					G.	
	135.	Continuous glucose monitoring in th	e free-moving rat	Metabolism 1998, 47, 799-80.	3	. S.
	Tierney, M. J.; Garg, S.; Ackerman, N. R.; Fermi, S. J.; Kennedy, J.; Lopatin, M.; Potts, R. O.; Tamada, J. A. Effect of acetaminophen on the accuracy of glucose measurements obtained with the GlucoWatch biographer. Diabetes Technol Ther 2000, 2, 199-207				ol .	
 137. Trecroci, D. A Glimpse into the Future- Continuous Monitoring of Glucose with a Microfiber. Diabetes Interview 2002, 43 138. Velho, G.; Froguel, P.; Sternberg, R.; Thevenot, D. R.; Reach, G. In vitro and in vivo stability of electrode potentials in needle-type glucose sensors. Influence of needle material. Diabetes 1989, 38, 164-171 				12-		
	139.	Wang, J.; Liu, J.; Chen, L.; Lu, F. H 66, 3600-3603	ighly Selective Me	embrane-Free, Mediator-Free G	lucose Biosensor. Anal. Chem. 19	94,
	140.	Wang, X.; Pardue, H. L. Improved remethod. Anal Chem 1997, 69, 4482	uggedness for me 2-4489	mbrane-based amperometric s	ensors using a pulsed amperometr	ic
	141.	Ward, W. K.; Wood, M. D.; Troupe, Sensor: Effect of Inhalation Anesthe				
	142.	Wientjes, K. J. C. Development of a	glucose sensor f	or diabetic patients. 2000		
	143.	Wilkins, E.; Atanasov, P. Glucose m	nonitoring: state o	f the art and future possibilities.	Med Eng Phys 1995, 18, 273-288	
	144.	Wood, W., et al., Hermetic Sealing	with Epoxy. Mech	nanical Engineering March 1990), 1-3	

1701410:sad 050905

Examiner Signature /Robert Nasser/ Date Considered /Robert Nasser/

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.